

**AMENDMENTS TO THE CLAIMS:**

1. (Currently Amended) A liquid crystal display including:

a liquid crystal display panel held between an upper frame and a lower frame, said upper frame including a display window, wherein said upper frame and said lower frame are ~~coupled to each other via a foldable~~ continuously formed of a same resin and are separated by a U-shaped portion,

wherein one of said upper and lower frames includes a first stepped protrusion formed in the vicinity of its end, and the other frame of said one of said upper and lower frames has a second stepped protrusion formed in the vicinity of its end, wherein the second stepped protrusion is fitted inside said first stepped protrusion, and

wherein said first stepped protrusion and said second stepped protrusion are formed to differ from each other in a protruding direction.

2-4 (Canceled)

5. (Currently Amended) A method of fabricating a liquid crystal display having a liquid crystal display panel held between an upper frame and a lower frame, said upper frame having a display window, comprising:

integrally molding said upper frame and said lower frame ~~coupled to each other via a foldable~~ such that said upper frame and said lower frame are continuously formed of a same resin material and are separated by a U-shaped portion; and

vacuum forming said upper frame and said lower frame of a ~~said same~~ resin material,

wherein said upper frame and said lower frame comprise a plurality of stepped

protrusions.

6. (Previously Presented) The method of fabricating a liquid crystal display according to claim 5, further comprising:

screen printing a conductive pattern on either said upper frame or said lower frame.

7. (Currently Amended) The liquid crystal display according to claim 1, wherein said upper frame comprises a thickness the same as said lower frame, said thickness being the same as said ~~foldable~~ U-shaped portion.

8. (Previously Presented) The liquid crystal display according to claim 1, wherein said upper frame and said lower frame are folded along said foldable U-shaped portion.

9. (Previously Presented) The liquid crystal display according to claim 1, where said upper frame and said lower frame form a foldable configuration, said foldable configuration comprises said U-shaped portion.

10. (Previously Presented) The method of fabricating a liquid crystal display according to claim 5, wherein a surface of said resin material comprises an antistatic agent.

11. (Currently Amended) A liquid crystal display, comprising:

a foldable frame comprising an upper frame portion and a lower frame portion which are continuously formed of a resin material and separated by a U-shaped portion ; and

~~a foldable configuration coupled to said frame,~~

wherein said foldable frame further comprises a first stepped protrusion formed in the vicinity of a first end and a second stepped protrusion formed in the vicinity of a second end, the second stepped protrusion is fitted inside said first stepped protrusion, and

wherein said first stepped protrusion and said second stepped protrusion are formed to differ from each other in a protruding direction.

12. (Currently Amended) The liquid crystal display according to claim 11, wherein said foldable frame is folded at said U-shaped portion, such that a surface of said ~~comprises an upper frame portion is aligned with a surface of said and a lower frame portion.~~

13. (Currently Amended) The liquid crystal display according to claim 11, wherein said first and second stepped protrusions are engaged when said foldable frame is folded at said U-shaped portion ~~foldable configuration comprises a groove.~~

14. (Currently Amended) The liquid crystal display according to claim 11, wherein said foldable frame is folded such that a bottom surface of said upper frame portion faces a lower surface of said lower frame portion ~~foldable configuration has a U shaped cross section.~~

15. (Currently Amended) The liquid crystal display according to claim 11, wherein said ~~foldable configuration~~ U-shaped portion is arranged at near a center of said foldable frame.

16. (Currently Amended) The liquid crystal display according to claim 11, wherein said ~~foldable configuration~~ U-shaped portion allows 180° folding ~~with reference to said foldable configuration.~~

17. (Currently Amended) The liquid crystal display according to claim 12, wherein said upper frame and said lower frame are ~~integrated into said frame via said foldable configuration~~ integrally formed as a single unit.

18. (Previously Presented) The liquid crystal display according to claim 12, wherein a liquid crystal display panel is held between said upper frame and said lower frame, said upper frame comprises a display window.

19. (New) The liquid crystal display according to claim 1, wherein said U-shaped portion is foldable about a substantially center axis of said U-shaped portion.